




**ACTIVE SOLUTIONS BETWEEN
INDUSTRY AND AMBIENCE**

MODEL: BIG SILVER






DESCRIPTION:

This type of painting booth is suitable for suctioning and demolishing the pigments and fumes emitted from paint-spray made with synthetic solvents, organic and water. The removal of the pigments and fumes occurs with a suctioning wall of cardboard inertial and a second filtration with "Paint-Stop" filter drawers. It is utilized for painting elements that are over-sized. The paint booth is built with modular panels of galvanized press-folded sheet-iron.

EQUIPMENT:

1. Antispark centrifugal electrical fan
2. Energy-saving electric motor IE2
3. Frontal cardboard inertial filters
4. Metallic drawers with "Paint-Stop" filter
5. Larger dust collecting drawers
6. Wired electrical panel IP 55
7. Wired ceiling light IP 65
8. Change section
9. Integrating air inlet filter (option)

MODEL: BIG SILVER



| Model | A Usable width, mm | B Overall width, mm | H Overall height, mm | Illumination, N x Wt | Exhaust fan, power, kW | Nominal air flow m ³ / h |
|------------------|--------------------------|---------------------------|----------------------------|-------------------------|---------------------------|---|
| BIG SILVER -2 | 2000 | 2450 | 4050 | 2 x 58 | 2,2 | 11000 |
| BIG SILVER -3 | 3000 | 3450 | 4150 | 2 x 58 | 4,0 | 15000 |
| BIG SILVER -4 | 4000 | 4450 | 4050 | 2 x 58 | 2,2 + 2,2 | 22000 |
| BIG SILVER -5 | 5000 | 5450 | 4100 | 4 x 58 | 3,0 + 3,0 | 25000 |
| BIG SILVER -6 | 6000 | 6450 | 4150 | 6 x 58 | 4,0 + 4,0 | 30000 |